

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	0	("(short\$ or least) near3 hop").PN.	USPAT	OR	OFF	2005/09/15 12:58
S2	352	(short\$ or least) near3 hop	USPAT	OR	OFF	2005/03/18 15:28
S3	1	(short\$ or least) near3 hop same ARP	USPAT	OR	OFF	2005/03/18 15:29
S4	21	(short\$ or least) near3 hop and ARP	USPAT	OR	OFF	2005/03/18 15:29
S5	3	S2 near3 compar\$	USPAT	OR	OFF	2005/03/18 15:20
S6	1269	709/238.ccls. or 709/241.ccls.	USPAT	OR	OFF	2005/03/18 15:29
S7	23	S6 and S2	USPAT	OR	OFF	2005/03/18 15:29
S8	0	370/395.ccls. and S2	USPAT	OR	OFF	2005/03/18 15:26
S9	0	370/395.ccls.	USPAT	OR	OFF	2005/03/18 15:26
S10	0	370/395.35.ccls.	USPAT	OR	OFF	2005/03/18 15:27
S11	129	370/395.31.ccls.	USPAT	OR	OFF	2005/03/18 15:28
S12	352	(short\$ or least) near3 hop	USPAT	OR	OFF	2005/03/18 15:28
S13	1	(short\$ or least) near3 hop same ARP	USPAT	OR	OFF	2005/03/18 15:29
S14	39	(short\$ or least) near3 hop and ARP	US-PGPU B; USPAT; EPO	OR	OFF	2005/03/18 15:29
S15	2160	709/238.ccls. or 709/241.ccls.	US-PGPU B; USPAT; EPO	OR	OFF	2005/03/18 15:29

S16	23	S6 and S2	US-PGPU B; USPAT; EPO	OR	OFF	2005/03/18 15:29
S17	58	"5590118"	USPAT	OR	OFF	2005/09/15 12:58
S18	5	((("5590118") or ("6693991") or ("6597663") or ("6501754") or ("5828665"))).PN.	USPAT	OR	OFF	2005/09/15 12:59
S19	0	S18 and arp	USPAT	OR	OFF	2005/09/15 14:05
S20	8	((("5655081") or ("5436909") or ("5504921") or ("5261044") or ("4937825") or ("5926462") or ("6046988") or ("5933416"))).PN.	USPAT	OR	OFF	2005/09/16 11:26
S21	0	("10032881").PN.	USPAT	OR	OFF	2005/09/16 11:26
S22	0	("0032881").PN.	US-PGPU B	OR	OFF	2005/09/16 11:27
S23	2	"032881"	US-PGPU B	OR	OFF	2005/09/16 12:13
S24	2	"782083"	US-PGPU B	OR	OFF	2005/09/16 14:32
S25	1	("6505031").PN.	USPAT	OR	OFF	2005/09/16 14:37

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	3511	709/238-244.ccls.	US-PGPU B; USPAT	OR	ON	2005/09/17 11:43
L2	6030	370/395.54,395.31,401, 238,469-473.ccls.	US-PGPU B; USPAT	OR	ON	2005/09/17 11:43
L3	9232	1 or 2	US-PGPU B; USPAT	OR	ON	2005/09/17 11:44
L4	54	(compar\$ near8 (distance adj1 vector))	US-PGPU B; USPAT	OR	ON	2005/09/17 11:45
L5	1	4 same (stor\$4 or sav\$4 or keep\$) near8 (clos\$5 or furthe\$4 or number adj1 hop or nhop or hops or proximity)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:51
L6	6	4 and 3	US-PGPU B; USPAT	OR	ON	2005/09/17 11:48
L7	1	6 and bridg\$4	US-PGPU B; USPAT	OR	ON	2005/09/17 11:48
L8	1	6 and (arp or address adj2 (resolv\$4 or resolut\$4))	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L9	59	3 and (bridg\$4 near5 subnet\$7)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:50
L10	227	(bridg\$4 near5 subnet\$7)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:50
L11	34	9 and (clos\$5 or furthe\$4 or number adj1 hop or nhop or hops or proximity)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:51

L12	34	9 and (clos\$5 or furthe\$4 or number adj1 hop or nhop or hop adj count or hops or proximity)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L13	0	9 and (clos\$5 or furthe\$4 or number adj1 hop or nhop or hop adj count or hops or proximity) same distance adj1 vector	US-PGPU B; USPAT	OR	ON	2005/09/17 11:56
L14	14	12 and (arp or address adj2 (resolv\$4 or resolut\$4))	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L15	5	12 and (arp or address adj2 (resolv\$4 or resolut\$4)) near3 request	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L16	5	12 and (arp or address adj2 (resolv\$4 or resolut\$4)) near3 (request or message)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L17	129	10 and (clos\$5 or furthe\$4 or number adj1 hop or nhop or hop adj count or hops or proximity)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:52
L18	17	17 and (arp or address adj2 (resolv\$4 or resolut\$4)) near3 (request or message)	US-PGPU B; USPAT	OR	ON	2005/09/17 11:53
L19	1	18 and distance adj1 vector	US-PGPU B; USPAT	OR	ON	2005/09/17 11:54
L20	63	compar\$4 near8 (distance adj1 vector)	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:55

L21	116	standby near3 bridg\$4	US-PGPU B; USPAT; USOCR; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:56
L22	261	(clos\$5 or furthe\$4 or number adj1 hop or nhop or hop adj count or hops or proximity) same distance adj1 vector	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:56
L23	0	21 and 22	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:56
L24	1683	(arp or address adj resolution) near5 (request or message)	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:57

L25	216	bridg\$4 near4 subnet\$7	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:58
L26	21	24 and 25	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:57
L27	0	26 and 22	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:58
L28	5	24 and 22	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 11:58
L29	7	(table or list or record or db or database) near8 (stor\$4 or sav\$4 or updat\$4 or chang\$4 or delet\$4) near15 distance adj vector	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:00

L30	0	29 and 24	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:00
L31	95	(stor\$4 or sav\$4 or updat\$4 or chang\$4 or delet\$4) near15 distance adj vector	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:00
L32	0	31 and 24	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:01
L35	6	31 and bridg\$4	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:02
L36	734	24 and bridg\$4	US-PGPU B; USPAT; EPO; JPO; DERWE NT; IBM_TD B	OR	ON	2005/09/17 12:02